

## 3590EGTBOX8

3590EGTBOX8: KIOSK WITH WEIGHT INDICATOR FOR SELF-SERVICE SYSTEMS AND WEIGHBRIDGES, WITH 8" TOUCHSCREEN



STAINLESS steel kiosk with 8" touchscreen weight indicator, perfect for self-service weighbridges management. Fitted with thermal printer and RFID reader. Open to CE-M type-approval.

The best solution  
for advanced industrial  
applications

## TECHNICAL FEATURES

- Satin STAINLESS steel electrical panel board, fitted with electromechanics and power supply unit for integrated devices.
- Protection visor for outdoor use, from sun and adverse weather conditions.
- 8" high-brightness resistive touchscreen display, suited for use with gloves and water/condensation.
- Completely customizable display.
- Double aeration grille with built-in fan.
- Internal heating unit with thermostat.
- Choice from QWERTY, AZERTY or QWERTZ touchscreen keyboard settings.
- Built-in RFID reader, with reading distance up to 30mm.
- Fitted with Alibi Memory.
- Quick display language selection.
- Thermal printer fitted with paper cutter. Printing speed >150mm/sec., 200 dpi resolution, 24/40 columns, 80mm paper width.
- Completely configurable and customisable tickets.
- AF03 software for weighbridges, standard configuration for self-service use.
- A/D 24 bit converter, 4 channels, up to 3200 conv./sec. with autoselect and up to 8 signal linearisation points.
- 4 analogue independant weight reading channels (up to 2 in the E-AF03 version).
- Max. 10.000e or multi-range 3 x 3000e @ 0,3  $\mu$ V/e in CE-M legal for trade approved version.
- Max. 1.000.000 displayable divisions for internal use with internal resolution up to 3.000.000 points.
- Power supply a 110-240 Vac.

## MAIN FUNCTIONS

- Zeroing, automatic tare, presettable tare, locked/unlocked tare.
- Management of the main digital load cells available on the market.
- Automatic acquisition of the operator and vehicle data, through magnetic badge, for storage of input/output weighings.
- Management of vehicles with trailer even on 2 scales (tractor weighed on scale 1 + trailer weighed on scale 2)
- Database of 500 storable customers and 250 storable suppliers with three 25-digit alphanumeric descriptions, net total, weighing total.
- Database of 500 items with 20-digit alphanumeric description, net total, weighing total.
- Database of 500 vehicles with 20-digit alphanumeric description, plate (10 digits), linked tare, net total, weighing total.
- 6 totalisation levels resettable and printable separately: partial total, general total, grand total, customer total, item total, vehicle total.
- Printing reports of the whole database or just the handled files.
- Automatic printing with completely configurable layout.
- Possibility to set a password to access the SETUP.

## MAIN CERTIFICATIONS


- EU Type Examination Certificate (45501:2015)
- OIML R76
- OIML R134 (AF09)

## DETAIL 1



3590EGTBOX8: with RFID card reader.

## DETAIL 2



Automatic temperature regulation system with aeration fan and internal heating unit.



www.diniargeo.com



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

**DINI ARGEO**  
**FRANCE** sarl  
Nogent-sur-Marne  
info.fr@diniargeo.com

**DINI ARGEO**  
**GMBH**  
Sinsheim - Germany  
info.de@diniargeo.com

**DINI ARGEO**  
**UK Ltd**  
Taunton - United Kingdom  
info.uk@diniargeo.com

**DINI ARGEO WEIGHING**  
**INSTRUMENTS Ltd**  
Shanghai - China  
info.cn@diniargeo.com

**DINI ARGEO**  
**WEIGHBRIDGES**  
Calto (RO) – Italy  
info@diniargeo.com



**HEAD OFFICE**

Via Della Fisica, 20  
41042 Spezzano di Fiorano Modena - Italy  
Tel. +39.0536 843418 Fax. +39.0536 843521  
info@diniargeo.com

**SERVICE ASSISTANCE**

Via Dell'Elettronica, 15  
41042 Spezzano di Fiorano Modena - Italy  
Tel. +39.0536 921784 Fax. +39.0536 926654  
service@diniargeo.com



SALES AND TECHNICAL ASSISTANCE SERVICE