

ALGS

ALGS SERIES MOISTURE ANALYSER



Electronic moisture analyser with very high resolution.

DIVISION (g): 0.001. CAPACITY (g): 60.

Working in cooperation with:

UAB DESKA

PRAMONES 5 - LT-94102 - KLAIPEDA - LITHUANIA
Tel. 00370-46-381089 Fax. 00370-445-76466
info@deska.lt

The best solution
for advanced industrial
applications

TECHNICAL FEATURES


- Graphic LCD display and waterproof membrane keypad.
- Selection of the programme language in the set-up.
- 2 halogen 60 W lamps.
- Diameter of the weighing plate: 90mm.
- 10 sample plates.
- Resolution of humidity: 0,01%.
- Drying temperature: up to 160°C.
- Heating time (100°C): approximate time of 3 min.
- Drying time: up to 10h.
- Power supply: 230 Vac power adapter.
- PS2 input for connecting external PC keyboard.
- RS232/c port for connection to PC or printer.
- USB port for connection to PC.
- Upon request:
 - set of sample plates;
 - ACCREDIA calibration with issuing of the relative certificate.

FUNCTIONS

- Drying modes: end when reaching the established time, automatic end.
- Calculation methods: % of dry weight, % of humidity in relation to initial weight or to dry weight.
- Memory for up to 10 customized programs (mode, temperature, time, calculation method).
- Calculation and printing of the statistical evaluations.
- Displays the drying graphs.
- Entering free texts and computing the report through external PC keyboard.
- Date and time.
- Digital calibration.
- Semi-automatic tare.

VERSIONS

Available versions

Codice	Classe	Piatto Max (mm)	Max (g)	d (g)	 (g)*	Linearità (g) +/-	Ripetibilità (g)
ALGS60	--	Ø 90 mm	60	0,001	--	--	--



DINI AR GEO
FRANCE sarl
Nogent-sur-Marne

DINI AR GEO
GMBH
Sinsheim - Germany

DINI AR GEO
UK Ltd
Taunton - United Kingdom

DINI AR GEO WEIGHING
INSTRUMENTS Ltd
Shanghai - China

DINI AR GEO
WEIGHBRIDGES
Calto (RO) - Italy



HEAD OFFICE
Via Della Fisica, 20
41042 Spezzano di Fiorano Modena - Italy



UAB DESKA

PRAMONES 5 - LT-94102 - KLAIPEDA - LITHUANIA

Tel. 00370-46-381089 Fax. 00370-445-76466

info@deska.lt

SALES AND TECHNICAL ASSISTANCE SERVICE