

MCWN

MCWN "NINJA" SERIES SINGLE SECURITY SUSPENDED CRANE SCALES



Easy to use and reliable professional digital <u>crane</u> <u>scales</u>, for weighing in industrial environments, fitted with protective transport case. **The single security system makes them suitable for lifting and weighing the load.** Thanks to their compact size, these crane scales just slightly reduce the lifting distance of the

crane. Available also CE-M APPROVED. Fitted with test certificate obtained with standard weights.

Working in cooperation with:

UAB DESKA

PRAMONES 5 - LT-94102 - KLAIPEDA - LITHUANIA Tel. 00370-46-381089 Fax. 00370-445-76466 info@deska.lt The best solution for advanced industrial applications

MAIN FEATURES

- Single security system, for the lifting and the weighing of the load.
- In compliance with the directives 2006/42 CE, UNI EN 13155/2009, UNI EN 13889, 2014/30/EU.
- Fitted with the following upper and lower shackle:
 - GR3 for MCWNT1 GR6 for MCWNT3


GR6 for MCWNT6

GR9 for MCWNT9.

- Compact size and minimum distance between upper and lower shackle.
- 25 mm LCD backlit display, easily visible in any lighting condition.
- Precision: +/- 0.03% on MAX.
- 5-key waterproof keypad: Zero, semi automatic or preset Tare, Mode, Print, On/Off.
- Sturdy case in oven-fire painted steel.
- Fitted with infrared remote control for up to 8m distance use. The remote control can be configured by the customer as a single automatic tare or as a remote keypad.
- Power supply through 4 AA batteries, which may be rechargeable (operating time of about 40 hours).
- Digital calibration and programmable Set-Up directly from the keypad or from the PC with Dinitools.
- Programmable digital filter and auto switch-off.
- Operating temperature: -10 /+40 °C.
- RS232 serial port on RJ11 connector for quick programming with Dinitools.
- Fitted with protective transport case with dimensions (WxLxH) 175x480x390mm.

OPTIONS (ONLY AT TIME OF ORDER)

- 868Mhz radio interface
- Bluetooth Interface





Side view.

DETAIL 2

DETAIL 3



DETAIL 4

CODE	WEIGHT (kg)		
	WITHOUT PACKAGING	WITH PACKAGING	
MCWNT1	8	11	
MCWNT3	10	14	
MCWNT6	11	15	
MCWNT9	15	18	

Protective transport case

VERSIONS

Available versions					
	Codice	Max (kg)	d (kg)	M (kg)	
-	MCWNT1-3	300/600/1500	0,1/0,2/0,5		
	MCWNT1M-3 M	1500		0,5	
	MCWNT3-3	600/1500/3000	0,2/0,5/1		
	МСШИТЗМ-З M	3000		1	
÷	MCWNT6-3	1500/3000/6000	0,5/1/2		
÷	MCWNT6M-3 M	6000		2	
÷	MCWNT9-3	3000/6000/9500	1/2/5		
	MCWNT9M-3 M	9000		5	





DINI ARGEO FRANCE sarl Nogent-sur-Marne DINI ARGEO GMBH Sinsheim - Germany DINI ARGEO UK Ltd Taunton - United Kingdom

DINI ARGEO WEIGHING INSTRUMENTS Ltd Shanghai - China DINI ARGEO WEIGHBRIDGES Calto (RO) – Italy



HEAD OFFICE Via Della Fisica, 20 41042 Spezzano di Fiorano Modena - Italy



UAB DESKA

PRAMONES 5 - LT:94102 - KLAIPEDA - LITHUANIA Tel. 00370-46-381089 Fax. 00370-445-76466 info@deska.lt

SALES AND TECHNICAL ASSISTANCE SERVICE

All the specifications and images can be subject to variations and upgrades without prior notice.