

T

"T" SERIES - SINGLE CELL PLATFORMS



Small and medium capacity electronic platforms with a AISI304 stainless steel surface having a precise and sturdy structure, suitable for creating scales and automatic weight checking systems for all industrial and commercial applications. Standard version is with approved load cell.

Working in cooperation with:

UAB DESKA

PRAMONES 5 - LT-94102 - KLAIPEDA - LITHUANIA
Tel. 00370-46-381089 Fax. 00370-445-76466
info@deska.lt

**The best solution
for advanced industrial
applications**

MAIN FEATURES


- Functions with an approved aluminium “single point” load cell according to OIML R60 standards with protection against dust and water splashes according to IP65 standards (350 Ohm input resistance).
- Steel tubular structure, oven-fire painted blue, with adjustable resting feet and level.
- Fitted with satined AISI 304 stainless steel loading surface.
- Up to 15 Vdc power supply.
- Shielded 3m connection cable with connectors for connection to the indicator.

OPTIONS FOR ATEX VERSION

- CCATEX: ATEX certificate for each load cell
- DCATEX2GD: Declaration of ATEX conformity of whole PLATFORM + ATEX 2GD DINI ARGEO INDICATOR
- DCATEX3GD: Declaration of ATEX conformity of whole PLATFORM + ATEX 3GD DINI ARGEO INDICATOR

SUPPORT BRACKETS AND COLUMNS

- Example of use with bracket, attached column or floor column.



AVAILABLE UPON PRICE ESTIMATE

- Belt and roller units to be applied on the loading surface
- Special sizes and capacities

VERSIONS

Available versions

Codice	l x w x h (mm)	Max (kg)	d (g)	M (g)*	M 2R (g)*	d HR (g)*
TS3	230x330x93	3	0,5	1	--	0,1
TS6	230x330x93	6	1	2	1-2	0,2
TS15	230x330x93	15	2	5	2-5	0,5
TT6	330x330x93	6	1	2	1-2	0,2
TT15	330x330x93	15	2	5	2-5	0,5
TT30	330x330x93	30	5	10	5-10	1
TQ15	400x400x115	15	2	5	2- 5	0,5
TQ30	400x400x115	30	5	10	5-10	1
TQ60	400x400x115	60	10	20	10-20	2
TQ150	400x400x115	150	20	50	20-50	5
TM30	400x500x115	30	5	10	5-10	1
TM60	400x500x115	60	10	20	10-20	2
TM150	400x500x115	150	20	50	20-50	5
TC30	500x500x110	30	5	10	5-10	1
TC60	500x500x110	60	10	20	10-20	2
TC150	500x500x110	150	20	50	20-50	5
TL60	500x600x132	60	10	20	10-20	2
TL150	500x600x132	150	20	50	20-50	5
TL300	500x600x132	300	50	100	50-100	10
TX60	600x600x137	60	10	20	10-20	2
TX150	600x600x137	150	20	50	20-50	5
TX300	600x600x137	300	50	100	50-100	10
TG150	700x700x145	150	20	50	--	5
TG300	700x700x145	300	50	100	50-100	10
TG600	700x700x145	600	100	200	100-200	20

(*) Divisions obtainable only with the relative options, in combination with Dini Argeo weight indicator.



www.diniargeo.com



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
Nogent-sur-Marne

DINI ARGEO
GMBH
Sinsheim - Germany

DINI ARGEO
UK Ltd
Taunton - United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
Shanghai - China

DINI ARGEO
WEIGHBRIDGES
Calto (RO) – Italy



HEAD OFFICE
Via Della Fisica, 20
41042 Spezzano di Fiorano Modena - Italy



UAB DESKA
PRAMONES 5 - LT-94102 - KLAIPEDA - LITHUANIA
Tel. 00370-46-381089 Fax. 00370-445-76466
info@deska.lt

SALES AND TECHNICAL ASSISTANCE SERVICE