

JB11

"JB11": JUNCTION BOX FOR 4 POLE LOAD CELLS, IN IP68 STAINLESS STEEL

Stainless steel junction box with IP68 protection from water and dust, equipped with electronic board to join 2 load cell cable sections. The 8 screw terminal boards facilitate the cable connection. The stainless steel body ensures solidity and durability.



Working in cooperation with:

UAB DESKA

PRAMONES 5 - LT-94102 - KLAIPEDA - LITHUANIA
Tel. 00370-46-381089 Fax. 00370-445-76466
info@deska.lt

**The best solution
for advanced industrial
applications**

TECHNICAL FEATURES

- Stainless steel case.
- Protection degree: IP68.
- Maximum input voltage: 24Vdc.
- Maximum input current: 700mA.
- 1 input and 1 outlet of 4-wire load cell on screw connectors
- Length: 85.0mm
- Internal diameter: 13.9mm
- External diameter: 18mm

DETAIL 1





www.diniargeo.com



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
Nogent-sur-Marne

DINI ARGEO
GMBH
Sinsheim - Germany

DINI ARGEO
UK Ltd
Taunton - United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
Shanghai - China

DINI ARGEO
WEIGHBRIDGES
Calto (RO) – Italy



HEAD OFFICE
Via Della Fisica, 20
41042 Spezzano di Fiorano Modena - Italy



UAB DESKA

PRAMONES 5 - LT-94102 - KLAIPEDA - LITHUANIA

Tel. 00370-46-381089 Fax. 00370-445-76466

info@deska.lt

SALES AND TECHNICAL ASSISTANCE SERVICE