

TPRXT

"TPRXT": ATTACHED THERMAL PRINTER WITH IP65 PROTECTION.



Thermal printer with IP65 stainless steel case and protection shutter door against water sprays and dust. Particularly suitable for the chemical and foodstuff industry, as well as in applications in harsh or strict hygiene environments. Mounted attached to the "XT" weight indicators, with a STAINLESS STEEL case.

**The best solution
for advanced industrial
applications**

TECHNICAL SPECIFICATIONS

- PRINT METHOD: Thermal.
- RESOLUTION: 203 dpi.
- COLUMNS: 24/40.
- PAPER WIDTH: 58 mm.
- ROLL SIZE: Diameter of 50 mm.
- PRINT SPEED: up to 50 mm/sec.
- PRINT FORMATS: Normal, double height and width, negative, underlined, expanded.
- PRINT DIRECTION: selectable (straight or upside down).
- PROGRAMMABLE FEATURES: Baud rate, data length, parity bit, handshaking, autofeed, number of columns, font size and print density.

N.B. ACCESSORY WHICH MAY BE ORDERED ONLY TOGETHER WITH A SUITABLE WEIGHT INDICATOR.



www.diniargeo.com



DINI AR GEO
FRANCE sarl
Nogent-sur-Marne
info.fr@diniargeo.com

DINI AR GEO
GMBH
Sinsheim - Germany
info.de@diniargeo.com

DINI AR GEO
UK Ltd
Taunton - United Kingdom
info.uk@diniargeo.com

DINI AR GEO WEIGHING
INSTRUMENTS Ltd
Shanghai - China
info.cn@diniargeo.com

DINI AR GEO
WEIGHBRIDGES
Calto (RO) - Italy
info@diniargeo.com



HEAD OFFICE

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena - Italy
Tel. +39.0536 843418 Fax. +39.0536 843521
info@diniargeo.com

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena - Italy
Tel. +39.0536 921784 Fax. +39.0536 926654
service@diniargeo.com



SALES AND TECHNICAL ASSISTANCE SERVICE