

# **TPR**

## TPR THERMAL PRINTER



Thermal printer available either for panel mounting as well as attached to the indicator. Its versatility makes it suitable to satisfy all printing requirements in the industrial field.

#### **TECHNICAL SPECIFICATIONS**

PRINT METHOD: ThermalRESOLUTION: 203 dpiCOLUMNS: 24/40

• PAPER WIDTH: 58 mm

ROLL SIZE: Diameter of 50 mmPRINT SPEED: up to 50 mm/sec


• PRINT FORMATS: Normal, double height and width, negative, underlined, expanded

• PRINT DIRECTION: Straight, upside down

• GRAPHICS MEMORY: 1 logo 384 x 85 dots, programmable upon request in combination with DFW / CPWE / 3590E series indicators

N.B. ACCESSORY WHICH MAY BE ORDERED ONLY COMBINED WITH A SUITABLE WEIGHT INDICATOR

## **DETAIL 1**



OBTPRB - dimensions in mm





DINI ARGEO FRANCE sarl Nogent-sur-Marne info.fr@diniargeo.com DINI ARGEO GMBH Sinsheim - Germany info.de@diniargeo.com DINI ARGEO
UK Ltd
Taunton - United Kingdom
info.uk@diniargeo.com

DINI ARGEO WEIGHING INSTRUMENTS Ltd Shanghai - China info.cn@diniargeo.com

DINI ARGEO WEIGHBRIDGES Calto (RO) – Italy info@diniargeo.com









#### **HEAD OFFICE**

Via Della Fisica, 20 41042 Spezzano di Fiorano Modena - Italy Tel. +39.0536 843418 Fax. +39.0536 843521 info@diniargeo.com

#### SERVICE ASSISTANCE

Via Dell'Elettronica, 15 41042 Spezzano di Fiorano Modena - Italy Tel. +39.0536 921784 Fax. +39.0536 926654 service@diniargeo.com